

Tritech Sdn Bhd (81887-M)
Wisma Tritech, 38, Jalan Pandan Indah,
Kawasan Industri Ampang Tambahan,
68000 Ampang, Selangor, Malaysia.

Office : 603 - 4291 0988 (5 Lines)

Fax : 603 - 4291 0936

E-mail: info@tritech.com.my

Website: www.tritech.com.my

Opening Hours

Monday - Friday : 9am - 5.45pm

Saturday : 9am - 1pm

Close on Sunday



SAFETY TRAFFIC CONES













1 750MM PE RUBBER BASE CONE Weight: 2.3kg / 3.3kg, material: PE Rubber base, with / without reflective collar

2 750MM PVC CONE

Weight: 2kg, material: PVC With /without reflective collar

6" & 4" Collar 6" & 4" Flo. Yellow Collar

Without collar







3 750MM PE RUBBER BASE CONE Weight: 3.3kg/ 4.5kg, material: PE Rubber base, with /without reflective collar

4 750MM PVC RUBBER BASE CONE Weight : 3kg/ 4kg/ 5kg, material : PVC Rubber base, with /without reflective collar



5 750MM TRIANGLE CONE With reflective sticker on 3-sides Customizable stickers



6 SQUARE COLLAPSIBLE CONE Height: 675mm, c/w reflective stickers & 'AWAS' wording





Rubber based, with /without collar



Weight: 4.5kg, material: PVC With /without reflective collar



8 1000MM PE SAND BASE CONE With Adapta base and 6" reflective sticker



9 SOFT PE WARNING BOLLARD Height: 1200m / 1100m, weight: 6kg With EG reflective sticker



10 1000MM SOFT PE RUBBER BASE CONE Weight: 5kg, material: soft PE


11 FABRIC COLLAPSIBLE CONES Made of waterproof fabric with reflective band, various sizes



12 CONE RINGS Material: steel, c/w 2 hooks triangle and round shape



13 CONE POLE Length: 130mm, extended: 220mm white and red colour



14 CONE RETRACTABLE TOPPER Height: 230mm, Belt size: 50mm width, Length: 3 meter long, white and red stripes

TRAFFIC MANAGEMENT PRODUCTS



Material : LDPE, colour : Red orange and white, interlocking, impact resistance



2 BARRIER FENCING Bright orange, material : PE height: 1m, 50m p/roll



3 WATERFILLED CIRCULAR BARRIER Bright orange, height: 825mm Ø 580mm, water capacity: 200kg



4 REFLECTIVE DELINEATOR Flourescent lime yellow / red orange, retroreflective



5 FOLDABLE & EXPANDABLE BARRIER Colour : Yellow, size: 390mm (W) x 960mm (H) Extended length : 2500mm, material : PE



6 HAZARD TAPES Various designs and customizable



7 REFLECTIVE BATON & FLAGS
Hi-visibility and reflective c/w bag
Various colours



8 VC8 PLASTIC CHAIN 6mm chain, 25 meter p/roll Various colours



9 ALUMINIUM ROAD DELINEATORS 1 way/ 2 way, square and rectangle shape prismatic reflective material, maximum impact resistance



10 GLASS ROAD STUD White tempered glass Protruding height 25mm/ 14mm, Siglite brand



(1) OUTDOOR CONVEX MIRROR Round Ø: 13"/ 20" / 24"/ 32"/ 40" Rectangle size: 18"X24"/ 24"X32" Stainless steel/acrylic c/w pole bracket



12 INDOOR CONVEX MIRROR Ø 20" / 24", stainless steel/ acrylic c/w wall bracket



13 NATURAL RUBBER SPEED HUMP Middle / end unit, black & yellow 26cm (L) x 36cm (W) x 5cm (H)




14 MIXED RUBBER SPEED HUMP Middle/ end unit, black & yellow 50cm (L) x 35cm (W) x 5cm (H)



15 SPEED HUMP WITH REFLECTIVE Middle/ end unit, black & yellow 50cm (L) x 40cm (W) x 5cm (H)



16 RUBBER CORNER PROTECTOR
Black rubber with yellow reflective
film, 10mm thick, c/w screws



TSINAR REBOUNDABLE DELINEATORS
Flourescent Red and Yellow, matreial: TPU, hydrolysis-stabilised
3pcs Reflexite® reflective sheeting, c/w set of screws
Size: 80mm (top Ø) x 750mm (H) x 200mm (bottom Ø)



18 ADJUSTABLE PARKING BOLLARD Size: 50mm x 50mm x 735mm (H) Steel pole, paint finish, c/w 3pcs reflective sticker (2" height)



19 TRAFFIC CONTROL FLAGMAN 1 hand/ 2 hand movable, battery operated c/w rainsuit, flag / baton, helmet & goggle

LED PRODUCTS



1 SOLAR CHEVRON BOARD Size: 750 x 600mm, solar panel HIP yellow sheeting, 5 watt adjustable flashing speed



2 SOLAR FLASHING WARNING LIGHT Ø 12" lens, solar panel, 12V automatic control, amber colour 24 hour operation time



3 SOLAR FLASHING ARROW Height: 5 feet, arrow head size: 820mm (H) x 1100mm (L) HIP grade sheeting, battery/ solar powered adjustable flashing speed



4 SOLAR CHEVRON ARROW Height: 5 feet, 3 arrow head size available HIP grade in flourescent red orange sheeting Battery / solar powered, adjustable flashing speed



5 MAGNETIC LED ARROW SIGN Size: 450 x 830mm, 4 arrows flashing, 3pcs AA batteries, mount onto vehicle's body




5 MAGNETIC LED ARROW SIGN Size: 450 x 490mm, 3 mode flashing, 3pcs AA batteries



7 DOUBLE ARROW BOARD Size: 1200mm x 600mm, 12V DC 4 light function, external control box 20 feet cable to cigarette charger.



8 CHEVRON BOARD Size: 1500 x 600 x 50mm, HIP fluorescent red orange sheeting, c/w cable with crocodile clip, mount onto lorry, adjustable flashing speed.



9 CONE-TOP FLASHING LAMP Ø 7cm, Height: 20cm, 360° coverage Polycarbonate lens, ABS body Auto sensor, 2pcs D batteries



Ø 7" polycarbonate lens Solar panel, auto sensor c/w bracket.



10 SOLAR FLASHING LAMP 11 LED FLASHING LAMP Ø 7" polycarbonate lens 2pcs 6V batteries Flashing/steady mode



12 REVOLVING BEACON LIGHT Size: 157mm (H) x 153mm (W) 12V /24V, rotating action Magnetic / 3 point fixing



13 LED BATON LIGHTS Battery operated Multi-function

Safety Equipments For Vehicles



1 ALUMINUM LIGHTBARS Size: 1193 x 304 x 76/58mm, 12V, 22 LED Aluminium body, 15 flash pattern, screw mount



WHEEL CLAMP (CAR & 4X4) Steel, paint finishing, adjustable clamper Uses 2 pad locks, 2 wheels, c/w notice plate



2 LED MINI LIGHTBARS Size: 525 x 320 x 75/38mm, 12V Aluminium body, 12 flash pattern Amber LED colour, magnetic mount



3 LED MINI LIGHTBARS Size: 760 x 310 x 100/36mm, 12V Aluminium body, 26 flash pattern Amber LED colour, magnetic mount




4 MOTORCYCLE REAR STROBE LIGHT Height: 805mm-1200mm, 12V, 8 watt, Material: PC double layer lens



6 EMERGENCY TRIANGULAR REFLECTOR Complies to SIRIM standards, reflective day & night, folds down for compact storage



7 WHEEL STOPPER FOR CAR / LORRY Black rubber with yellow reflective film, weight: 5kg / 6kg



8 RUBBER WHEEL CHOCK Black rubber, for lorry / truck single/double sided

Commercial Vehicles Rear & Side Markings (Light Reflectors)



Safety Equipments for Commercial Vehicle (SPAD - iCOP)



Reflective Vehicle Graphic

Tritech Sdn. Bhd. can help you create awareness by using reflective vehicle graphics. For conspicuity, recognition and safety, we use ORALITE® brand which offer the most effective high visibility materials on the market today and offer a full range of single layer microprismatic films designed for vehicle livery. The microprismatic films provide the best visibility in daytime, poor light and adverse weather conditions. Furthermore, it is highly visible at night from more than 500 meters away and greatly increase visibility up to 9 times brighter during bad conditions such as rain and fog.







Tritech

ORALITE® Daybright™ is the preferred choice by most fleets when it comes to conspicuity markings, due to the product construction which is just simply ideal for this application. The film conforms easily around contours of vehicle allowing greater vehicle coverage thus enchanced conspicuity and safety. The vehicle can be power washed and any impact damage will not reduce the photometrics of the film ensuring day and night visibility.

We offer the best from

HIGH INTENSITY PRISMATIC GRADE (HIP)

Designed for the production of traffic signs for long-term outdoor exposure.

Thickness: 9 mil

Durability: 10 years

Release Liner: 3-mil, polypropylene film, silicone

coated on one side

Adhesive: Clear, solvent polyacrylate,

permanent adhesive

No. of Colours: 7 (with watermark)

Print Compatibility: Screen printing & UV printing

Certifications: MUTCD, ASTM D 4956 specs for

Type IV Class 1 retroreflective sheeting

FLUORESCENT ORANGE

Designed for traffic controls and guidance signs, warning, construction/workzone and information signs which are intended for medium-term outdoor use. Excellent adhesion to low energy plastics.

Reflective Technology: Prismatic

Thickness: 18mil

Adhesive: Clear, permanent

Durability: 5 years

Print Compatibility: Screen printing & UV printing

Certifications: Meets ASTM D 4956 specifications for Type IV, Class 1 retroreflective sheeting

ECONOMY GRADE

For signboards, lettering, markings, symbols and graphic applications

Thickness: 3.5 mil

Durability: 3 years

Release Liner: 89# PE-coated silicone paper

Adhesive: Clear, solvent-based, permanent

adhesive

No. of Colours: 6

Print compatibility: Screen printing & inkjet printing

A-Stand / T-Stand

Size: Customizable

Material: 3mm Thick Aluminium Composite Board Frame: Square Hollow Frame in Paint Finish

Legend / Design: Customizable

Reflective Sheeting: HIP Grade / Flo. Orange /

Economy Grade





1000mm (W) x 500mm (H)



1000mm (W) x 500mm (H)



1200mm (W) x 575mm (H)



1200mm (W) x 600mm (H)



1500mm (W) x 400mm (H)





PEMBINAAN DI HADAPAN 50m

JALAN SELORONG DI HADAPAN





1200mm (W) x 700mm (H) 1200mm (W) x 700mm (H) 1200mm (W) x 800mm (H) 1200mm (W) x 800mm (H) 1200mm (W) x 800mm (H) 1200mm (H) 1200mm

PEMBINAAN SEDANG DIJALANKAN UNTUK KEMUDAHAN ANDA DI MASA DEPAN

1400mm (W) x 800mm (H)

GANGGUAN LALULINTAS HANYA SEMENTARA HARAP MAAF

1500mm (W) x 700mm (H)



1500mm (W) x 820mm (H)



1900mm (W) x 1100mm (H)



1800mm (W) x 1500mm (H)









Custom Size



Custom Size



Custom Size



PERMANENT / TEMPORARY TRAFFIC SIGNAGES

A-Stand (LLM)

Size: 1220mm (W) x 1220mm (H)

Material: 3mm Thick Aluminium Composite Board Frame: Square Hollow Frame in Paint Finish Reflective Sheeting: HIP Grade / Flo. Orange /

Economy Grade

Legend / Design: Customizable























Rubberbase Pole

Size: Customizable

Material: 3mm Thick Aluminium Composite Board Pole: Up to 9 feet high metal pole in painting finish Reflective Sheeting: HIP Grade / Economy Grade / Vinyl

Legend / Design: Customizable





Pole Signages

Size: 400mm, 600mm, 750mm, & 900mm Material: 3mm Thick Aluminium Composite Board Pole: Up to 5 feet high metal pole in painting finish Reflective Sheeting: HIP Grade / Flo. Orange

Legend / Design: Customizable











BERHENTI





VISI Portable Triangular Sign

Size: 1300mm (W) x 1000mm (H)

Weight: 4.9 kg

Frame: Mild Steel Frame with Rubber Sole Insert

Reflective Sheeting: Reflexite Microprism

Legend / Design: Customizable Accesories: Nylon carrying bag















HIGH VISIBILITY GARMENTS & PPE



1 RAINCOATS
Sirim certified, polyester coated

Various designs /colours

Knee-length, 2 front pockets



2 RAIN JACKETS Sirim certified, polyester coated Back ventilation, various designs /colours



3 RAIN PANTS
Polyester coated, elastic waist
Zip / elastic leg, various
designs / colours



4 WINDBREAKERS Nylon, back ventilation, Various designs / colours



5 SAFETY VESTS Sirim certified, polyester Zip / velcro fastening Various colours / tape options



6 TABARD (TVB) Sirim certified, polyester Velcro & button fastening Various colours / tape options



7 TABARD (T2B) Sirim certified, polyester Elastic on sides, velcro closure Various colours / tape options



8 REFLECTIVE LOGO & PATCHES Retroreflective, high visibility, Silkscreen / inkjet printing, various sizes / designs



9 SAFETY HELMET Sirim certified, ABS shell Various designs / colours



10 SAFETY SHOES Low/ medium cut, steel toecaps, men / women type Various designs



11 REFLECTIVE SAFETY BELT Size: 22" x 3", retroreflective tape, High visibility, velcro closure



12 ARMBANDS Retroreflective, 3 designs Printing options available Various colours



13 GOGGLES
Comply to safety standards
Lightweight, various designs



14 HEARING PROTECTION Comply to safety standards Various type and designs



15 HAND GLOVES Comply to safety standards Various type and designs



16 SAFETY HARNESS
Adjustable, c/w lanyard and bag
Comply to safety standards



17 FIRST AID KIT Metal / PVC Box, portable Various sizes available



18 MASK / RESPIRATOR
Comply to safety standards
and various type and designs

Authorized Distributor: